

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401

Organic CBG+CBD Gummy, 30mg

Batch ID or Lot Number: 00187-22-UESC-G-CBD/CBG-01D	Test: Potency	Reported: 18Aug2022	USDA License: N/A
Matrix: Unit	Test ID: T000218035	Started: 17Aug2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Aug2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.372	1.107	0.840	0.20	# of Servings = 1, Sample Weight=4.5g
Cannabichromenic Acid (CBCA)	0.340	1.012	ND	ND	
Cannabidiol (CBD)	0.813	2.759	15.910	3.50	
Cannabidiolic Acid (CBDA)	0.834	2.829	ND	ND	
Cannabidivarin (CBDV)	0.192	0.652	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.348	1.180	ND	ND	
Cannabigerol (CBG)	0.211	0.628	16.690	3.70	
Cannabigerolic Acid (CBGA)	0.883	2.627	ND	ND	
Cannabinol (CBN)	0.276	0.820	ND	ND	
Cannabinolic Acid (CBNA)	0.602	1.793	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.052	3.130	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.955	2.843	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.846	2.519	ND	ND	
Tetrahydrocannabivarin (THCV)	0.192	0.572	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.747	2.221	ND	ND	
Total Cannabinoids			33.440	7.43	
Total Potential THC			ND	ND	
Total Potential CBD			15.910	3.54	

Final Approval


 Jacob Miller
 18Aug2022
 03:46:00 PM MDT
 PREPARED BY / DATE


 Karen Winternheimer
 18Aug2022
 03:48:00 PM MDT
 APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/63c7278d-e643-430f-a614-99048c03139b>

Definitions
 % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
 Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
 63c7278de643430fa61499048c03139b.1