

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401

Organic THC Free CBD MCT Oil

Batch ID or Lot Number: 0018722UESCTF10	Test: Potency	Reported: 14Oct2022	USDA License: N/A
Matrix: Unit	Test ID: T000223951	Started: 13Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Oct2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.348	4.686	ND	ND	# of Servings = 1, Sample Weight=27.5g
Cannabichromenic Acid (CBCA)	1.233	4.286	ND	ND	
Cannabidiol (CBD)	4.012	12.158	1672.500	60.80	
Cannabidiolic Acid (CBDA)	4.115	12.470	ND	ND	
Cannabidivarin (CBDV)	0.949	2.876	5.660	0.20	
Cannabidivarinic Acid (CBDVA)	1.717	5.202	ND	ND	
Cannabigerol (CBG)	0.765	2.661	ND	ND	
Cannabigerolic Acid (CBGA)	3.198	11.122	ND	ND	
Cannabinol (CBN)	0.998	3.471	ND	ND	
Cannabinolic Acid (CBNA)	2.182	7.588	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.810	13.250	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.460	12.034	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.066	10.662	ND	ND	
Tetrahydrocannabivarin (THCV)	0.696	2.420	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.704	9.404	ND	ND	
Total Cannabinoids			1678.160	61.02	
Total Potential THC			ND	ND	
Total Potential CBD			1672.500	60.82	

Final Approval



Karen Winternheimer
15Oct2022
07:37:00 PM MDT

PREPARED BY / DATE



Sam Smith
15Oct2022
07:38:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4c2d7ed2-ccad-43be-be29-8326406f8fdb>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
4c2d7ed2ccad43bebe298326406f8fdb.2