

Prepared for:  
**Upstate Elevator Supply Co.**

699 Pine St  
Burlington, VT USA 05401

## Elevated Spectrum CBD+THC Hemp Extract, 1200mg

Batch ID or Lot Number: <b>0018722UESCES10</b>	Test: <b>Potency</b>	Reported: <b>14Nov2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000223949	Started: 13Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Oct2022	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.547	5.380	31.340	1.10	# of Servings = 1, Sample Weight=28.35g
Cannabichromenic Acid (CBCA)	1.415	4.921	ND	ND	
Cannabidiol (CBD)	4.607	13.959	821.500	29.00	
Cannabidiolic Acid (CBDA)	4.725	14.318	119.570	4.20	
Cannabidivarin (CBDV)	1.090	3.302	5.910	0.20	
Cannabidivarinic Acid (CBDVA)	1.971	5.973	ND	ND	
Cannabigerol (CBG)	0.878	3.055	170.870	6.00	
Cannabigerolic Acid (CBGA)	3.672	12.770	ND	ND	
Cannabinol (CBN)	1.146	3.985	107.930	3.80	
Cannabinolic Acid (CBNA)	2.505	8.712	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.375	15.213	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.973	13.817	82.050	2.90	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.520	12.241	ND	ND	
Tetrahydrocannabivarin (THCV)	0.799	2.779	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.105	10.797	ND	ND	
<b>Total Cannabinoids</b>			<b>1339.170</b>	<b>47.20</b>	
Total Potential THC			82.050	2.90	
Total Potential CBD			926.363	32.68	

### Final Approval



Karen Winternheimer  
15Oct2022  
07:37:00 PM MDT

PREPARED BY / DATE



Sam Smith  
14Nov2022  
11:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/04fee980-d9ae-410d-99be-ed668dae7402>

#### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential  
Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
04fee980d9ae410d99beed668dae7402.3