

Prepared for:  
**Upstate Elevator Supply Co.**  
699 Pine St  
Burlington, VT USA 05401

## Organic CBG+CBD Gummy, 30mg

Batch ID or Lot Number: <b>0018722UESCTB09</b>	Test: <b>Potency</b>	Reported: <b>14Nov2022</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000223952	Started: 13Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Oct2022	Status: N/A

### Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.009	0.032	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.008	0.029	ND	ND	
Cannabidiol (CBD)	0.028	0.084	0.390	3.90	
Cannabidiolic Acid (CBDA)	0.028	0.086	ND	ND	
Cannabidivarin (CBDV)	0.007	0.020	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.012	0.036	ND	ND	
Cannabigerol (CBG)	0.005	0.018	0.370	3.70	
Cannabigerolic Acid (CBGA)	0.022	0.077	ND	ND	
Cannabinol (CBN)	0.007	0.024	ND	ND	
Cannabinolic Acid (CBNA)	0.015	0.052	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.026	0.091	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.024	0.083	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.021	0.073	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.019	0.065	ND	ND	
<b>Total Cannabinoids</b>			<b>0.760</b>	<b>7.60</b>	
Total Potential THC			ND	ND	
Total Potential CBD			0.390	3.90	

### Final Approval



Karen Winternheimer  
15Oct2022  
07:37:00 PM MDT

PREPARED BY / DATE



Sam Smith  
14Nov2022  
11:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0aa10d6b-5ab5-4a39-b43b-e4dd15315fe3>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
0aa10d6b5ab54a39b43be4dd15315fe3.3