

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401


Organic CBG+CBD+CBDA Capsules, 30mg

Batch ID or Lot Number: 0018722UESC11111	Test: Potency	Reported: 21Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000228070	Started: 18Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.139	0.463	0.550	0.80	# of Servings = 1, Sample Weight=0.7g
Cannabichromenic Acid (CBCA)	0.127	0.423	ND	ND	
Cannabidiol (CBD)	0.437	1.266	11.920	17.00	
Cannabidiolic Acid (CBDA)	0.448	1.298	12.050	17.20	
Cannabidivarin (CBDV)	0.103	0.299	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.187	0.542	ND	ND	
Cannabigerol (CBG)	0.079	0.263	11.720	16.70	
Cannabigerolic Acid (CBGA)	0.330	1.098	ND	ND	
Cannabinol (CBN)	0.103	0.343	ND	ND	
Cannabinolic Acid (CBNA)	0.225	0.749	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.393	1.309	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.357	1.188	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.317	1.053	ND	ND	
Tetrahydrocannabivarin (THCV)	0.072	0.239	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.279	0.929	ND	ND	
Total Cannabinoids			36.240	51.70	
Total Potential THC			0.000	0.00	
Total Potential CBD			22.488	32.08	

Final Approval



Sam Smith
21Nov2022
02:41:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
21Nov2022
02:45:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/24380536-3bd3-4291-9e60-a21efe6a7126>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
243805363bd342919e60a21efe6a7126.1