

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401

Organic Capsules, 50mg

Batch ID or Lot Number: 0018722UESC5009	Test: Potency	Reported: 23Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000222037	Started: 21Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.088	0.314	2.060	2.50	# of Servings = 1, Sample Weight=0.832g
Cannabichromenic Acid (CBCA)	0.080	0.287	ND	ND	
Cannabidiol (CBD)	0.322	0.811	45.780	55.00	
Cannabidiolic Acid (CBDA)	0.331	0.832	ND	ND	
Cannabidivarin (CBDV)	0.076	0.192	0.310	0.40	
Cannabidivarinic Acid (CBDVA)	0.138	0.347	ND	ND	
Cannabigerol (CBG)	0.050	0.178	0.890	1.10	
Cannabigerolic Acid (CBGA)	0.208	0.746	ND	ND	
Cannabinol (CBN)	0.065	0.233	0.090	0.10	
Cannabinolic Acid (CBNA)	0.142	0.509	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.248	0.888	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.225	0.807	1.720	2.10	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.199	0.715	ND	ND	
Tetrahydrocannabivarin (THCV)	0.045	0.162	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.176	0.630	ND	ND	
Total Cannabinoids			50.850	61.13	
Total Potential THC			1.720	2.07	
Total Potential CBD			45.780	55.04	

Final Approval



Daniel Weidensaul
22Sep2022
04:41:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
23Sep2022
09:16:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/b1f20949-a20b-4346-9e32-2c3321311841>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
b1f20949a20b43469e32c3321311841.2