

Prepared for:  
**Upstate Elevator Supply Co.**  
699 Pine St  
Burlington, VT USA 05401

## Soothing Muscle Cream, 1500mg

Batch ID or Lot Number: <b>0018722UESCMC12</b>	Test: <b>Potency</b>	Reported: <b>21Dec2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000230501	Started: 19Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Dec2022	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	8.144	31.693	76.290	1.40	# of Servings = 1, Sample Weight=56.5g
Cannabichromenic Acid (CBCA)	7.449	28.988	ND	ND	
Cannabidiol (CBD)	31.638	91.325	1755.910	31.10	
Cannabidiolic Acid (CBDA)	32.450	93.668	ND	ND	
Cannabidivarin (CBDV)	7.483	21.599	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	13.536	39.073	ND	ND	
Cannabigerol (CBG)	4.624	17.994	35.820	0.60	
Cannabigerolic Acid (CBGA)	19.330	75.223	ND	ND	
Cannabinol (CBN)	6.032	23.475	ND	ND	
Cannabinolic Acid (CBNA)	13.188	51.322	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	23.028	89.617	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	20.914	81.389	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	18.530	72.110	ND	ND	
Tetrahydrocannabivarin (THCV)	4.206	16.367	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	16.344	63.604	ND	ND	
<b>Total Cannabinoids</b>			<b>1868.020</b>	<b>33.10</b>	
Total Potential THC			0.000	0.00	
Total Potential CBD			1755.910	31.10	

### Final Approval



Karen Winternheimer  
21Dec2022  
01:01:00 PM MST

PREPARED BY / DATE



Sam Smith  
21Dec2022  
01:06:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e1ab46ea-4991-44f4-ba91-30382d0afaa5>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
e1ab46ea499144f4ba9130382d0afaa5.1