

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401

Deeper Dreams CBN+CBD Gummy, 15mg

Batch ID or Lot Number: 0018723UESCDRD2	Test: Potency	Reported: 16Mar2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000238687	Started: 16Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Mar2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.010	0.031	ND	ND	
Cannabichromenic Acid (CBCA)	0.009	0.029	ND	ND	
Cannabidiol (CBD)	0.052	0.107	0.280	2.80	
Cannabidiolic Acid (CBDA)	0.054	0.110	ND	ND	
Cannabidivarin (CBDV)	0.012	0.025	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.046	ND	ND	
Cannabigerol (CBG)	0.006	0.018	ND	ND	
Cannabigerolic Acid (CBGA)	0.025	0.074	ND	ND	
Cannabinol (CBN)	0.008	0.023	0.160	1.60	
Cannabinolic Acid (CBNA)	0.017	0.051	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.029	0.089	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.027	0.081	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.024	0.071	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.016	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.021	0.063	ND	ND	
Total Cannabinoids			0.440	4.40	
Total Potential THC			ND	ND	
Total Potential CBD			0.280	2.80	

Final Approval


Sam Smith
16Mar2023
02:03:00 PM MDT


Karen Winternheimer
16Mar2023
02:13:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/0eed4e78-e842-4a60-aa84-362df350809c>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
0eed4e78e8424a60aa84362df350809c.1