

Prepared for:
Upstate Elevator Supply Co.
699 Pine St
Burlington, VT USA 05401

Elevated Spectrum CBD+THC Capsules, 25mg

Batch ID or Lot Number: 0018723UESCES01	Test: Potency	Reported: 11Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000232296	Started: 09Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Jan2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.083	0.303	<LOQ	<LOQ	# of Servings = 1, Sample Weight=0.857g
Cannabichromenic Acid (CBCA)	0.076	0.277	ND	ND	
Cannabidiol (CBD)	0.325	0.801	18.360	21.40	
Cannabidiolic Acid (CBDA)	0.334	0.822	ND	ND	
Cannabidivarin (CBDV)	0.077	0.189	0.320	0.40	
Cannabidivarinic Acid (CBDVA)	0.139	0.343	ND	ND	
Cannabigerol (CBG)	0.047	0.172	1.000	1.20	
Cannabigerolic Acid (CBGA)	0.196	0.719	ND	ND	
Cannabinol (CBN)	0.061	0.224	0.380	0.40	
Cannabinolic Acid (CBNA)	0.134	0.490	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.234	0.856	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.212	0.778	2.270	2.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.188	0.689	ND	ND	
Tetrahydrocannabivarin (THCV)	0.043	0.156	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.166	0.608	ND	ND	
Total Cannabinoids			22.330	26.10	
Total Potential THC			2.270	2.70	
Total Potential CBD			18.360	21.40	

Final Approval



Karen Winternheimer
11Jan2023
04:18:00 PM MST

PREPARED BY / DATE



Sam Smith
11Jan2023
04:20:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/27d2431d-06cf-40e4-8c5d-44fbb82a8031>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
27d2431d06cf40e48c5d44fbb82a8031.1